


269



CLAIMS

1. A compound of Formula (I):




5

wherein Q is:



or



10

R₁ is selected from the group consisting of:

- (i) C₁₋₃ alkyl, and

C₁₋₃ alkyl substituted by substituent(s) independently selected from the group consisting of:

15

•oxo,

•halogen,

•C₁₋₅ alkoxy carbonyl,

•C₁₋₅ alkoxy,

•C₁₋₅ alkoxy substituted by carbocyclic aryl,

•mono-C₁₋₅ alkylamino.

20

•mono-C₁₋₅ alkylamino substituted by carbocyclic aryl,

•di-C₁₋₅ alkylamino,

•di-C₁₋₅ alkylamino substituted by carbocyclic aryl,

270

5

- C₁₋₅ alkylthio,
- C₃₋₆ cycloalkyl,
- C₃₋₆ cycloalkyl substituted by C₁₋₅ alkyl,
- C₃₋₆ cycloalkenyl,
- carbocyclyl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

10

- hydroxy,
- halogen,
- nitro,
- amino,
- C₁₋₅ alkylcarbonylamino,
- C₃₋₆ cycloalkylcarbonylamino,
- carbocyclic aryl,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by halogen,
- C₁₋₅ alkylsulfonyl,
- C₂₋₆ alkenyl,
- C₁₋₅ alkoxy, and

15

20

- C₁₋₅ alkoxy substituted by halogen,

- mono-carbocyclic arylamino,
- mono-carbocyclic arylamino substituted by substituent(s) independently selected from the group consisting of:

25

- halogen,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by halogen,
- C₁₋₅ alkoxy, and

271

••C₁₋₅ alkoxy substituted by halogen,
•di-carbocyclic arylamino,
•di-carbocyclic arylamino substituted by substituent(s) independently
selected from the group consisting of:

5

••halogen,
••C₁₋₅ alkyl,
••C₁₋₅ alkyl substituted by halogen,
••C₁₋₅ alkoxy, and
••C₁₋₅ alkoxy substituted by halogen,

10

•carbocyclic aryloxy,
•carbocyclic aryloxy substituted by substituent(s) independently selected
from the group consisting of:

15

••halogen,
••C₁₋₅ alkyl,
••C₁₋₅ alkyl substituted by halogen,
••C₁₋₅ alkoxy,
••C₁₋₅ alkoxy substituted by halogen, and
••carbocyclic aryl,

20

•hydroxy,
•heterocyclyl, and
•heterocyclyl substituted by halogen,

(ii)

C₂₋₅ alkenyl, and
C₂₋₅ alkenyl substituted by substituent(s) independently selected from the
group consisting of:

25

•oxo, and
•carbocyclic aryl,

(iii)

C₂₋₅ alkynyl,

(iv)

C₃₋₁₂ cycloalkyl, and

272

- C₃₋₁₂ cycloalkyl substituted by carbocyclic aryl,
- (v) carbocyclyl, and
- carbocyclyl substituted by substituent(s) independently selected from the group consisting of:
- 5 •hydroxy, and
- carbocyclic aryl,
- (vi) carbocyclic aryl, and
- carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:
- 10 •halogen,
- cyano,
- nitro,
- amino,
- C₁₋₁₀ alkyl,
- 15 •C₁₋₁₀ alkyl substituted by substituent(s) independently selected from the group consisting of:
- halogen,
- oxo, and
- carbocyclic aryl,
- 20 •carboxy,
- C₁₋₅ alkoxy carbonyl,
- C₁₋₇ alkoxy,
- C₁₋₇ alkoxy substituted by substituent(s) independently selected from the group consisting of:
- 25 ••halogen, and
- carbocyclic aryl,
- C₃₋₆ cycloalkoxy,
- carbocyclic aryloxy,

273

•carbocyclic aryloxy substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- nitro,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by halogen,
- C₁₋₅ alkoxy, and
- C₁₋₅ alkoxy substituted by halogen,

•heterocycloxy,

•heterocycloxy substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- nitro,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by halogen,
- C₁₋₅ alkoxy, and
- C₁₋₅ alkoxy substituted by halogen,

•mono-C₁₋₅ alkylamino,

•di-C₁₋₅ alkylamino,

•C₁₋₅ alkylcarbonylamino,

•C₃₋₆ cycloalkylcarbonylamino,

•C₁₋₅ alkoxy carbonylamino,

•carbocyclic aryl azo,

•carbocyclic aryl azo substituted by substituent(s) independently selected from the group consisting of:

- mono-C₁₋₅ alkylamino, and
- di-C₁₋₅ alkylamino,

•C₁₋₅ alkylthio,

- 5
- C₁₋₅ alkylthio substituted by halogen,
 - carbocyclic arylthio,
 - carbocyclic arylthio substituted by nitro,
 - amino sulfonyl,
 - heterocyclyl sulfonyl,
 - C₃₋₆ cycloalkyl,
 - C₃₋₆ cycloalkyl substituted by C₁₋₅ alkyl,
 - carbocyclic aryl,
 - carbocyclic aryl substituted by C₁₋₅ alkoxy,
 - 10 •hydroxy,
 - heterocyclyl, and
 - heterocyclyl substituted by C₁₋₅ alkyl,
- (vii) heterocyclyl, and
- 15 heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
- halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen,
 - C₁₋₅ alkoxy,
 - 20 •C₁₋₅ alkoxy substituted by halogen,
 - C₁₋₅ alkoxy carbonyl,
 - C₁₋₅ alkoxy carbonyl substituted by carbocyclic aryl,
 - carbocyclic aryloxy,
 - carbocyclic aryloxy substituted by substituent(s) independently selected
 - 25 from the group consisting of:
- halogen,
 - nitro,
 - cyano,

275

- hydroxy,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by halogen,
- mono-C₁₋₅ alkylamino,
- 5 ••di-C₁₋₅ alkylamino,
- C₁₋₅ alkylcarbonylamino,
- C₃₋₆ cycloalkylcarbonylamino,
- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by halogen,
- 10 ••C₃₋₆ cycloalkyl,
- C₂₋₅ alkenyl,
- C₂₋₅ alkynyl,
- carboxy,
- C₁₋₅ alkoxy carbonyl,
- 15 ••mono-C₁₋₅ alkylaminocarbonyl,
- di-C₁₋₅ alkylaminocarbonyl,
- mono-C₃₋₆ cycloalkylaminocarbonyl,
- di-C₃₋₆ cycloalkylaminocarbonyl,
- mono-C₁₋₅ alkylaminocarbonylamino,
- 20 ••di-C₁₋₅ alkylaminocarbonylamino,
- mono-C₃₋₆ cycloalkylaminocarbonylamino,
- di-C₃₋₆ cycloalkylaminocarbonylamino,
- C₁₋₅ alkylthio,
- C₁₋₅ alkylthio substituted by halogen,
- 25 ◦◦C₁₋₅ alkylsulfinyl,
- C₁₋₅ alkylsulfinyl substituted by halogen,
- C₁₋₅ alkylsulfonyl, and
- C₁₋₅ alkylsulfonyl substituted by halogen,

276

•heterocyclyloxy,
 •heterocyclyloxy substituted by substituent(s) independently selected from
 the group consisting of:

- halogen,
- nitro,
- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by halogen,
- C₁₋₅ alkoxy, and
- C₁₋₅ alkoxy substituted by halogen,

•carbocyclic aryl, and
 •heterocyclyl;

R₂ is C₁₋₅ alkyl or -N(R_{2a})(R_{2b}); wherein R_{2a} and R_{2b} are independently hydrogen or
 C₁₋₅ alkyl;

R₃ is C₁₋₅ alkyl;

R₄ is -NHNH₂, -NHNHBoc, -N(R_{4a})(R_{4b}), morpholino, 4-acetyl-piperazyl, or
 4-phenyl-piperazyl; wherein R_{4a} is hydrogen or C₁₋₅ alkyl; R_{4b} is C₁₋₅ alkyl, C₁₋₅ alkyl
 substituted by substituent(s) independently selected from the group consisting of:

- hydroxy,
- C₁₋₅ alkoxy,
- amino,
- NHBoc,
- C₃₋₆ cycloalkyl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from

the group consisting of:

- halogen,
- C₁₋₅ alkyl,
- C₁₋₅ alkoxy, and

277

••-SO₂NH₂, and

•heterocyclyl,

C₃₋₆ cycloalkyl, carbocyclic aryl, carbocyclic aryl substituted by substituent(s)


independently selected from the group consisting of:

5

•halogen,

•C₁₋₅ alkyl,•C₁₋₅ alkoxy, and

a group of Formula (III):



(III) ;

10

wherein Boc is carbamic acid *tert*-butyl ester and G is C₁₋₅ alkyl or C₁₋₅ alkyl

substituted by substituent(s) independently selected from the group consisting of:


•carbocyclic aryl,

15

•halogenated carbocyclic aryl, and


•carbocyclic aryl substituted by C₁₋₅ alkoxy;

L is selected from the group consisting of Formulae (IV) to (XIX):




(IV)

20





(V)






(VI)

278



5



10

wherein R_5 and R_6 are independently hydrogen or C_{1-5} alkyl; and A and B are independently a single bond, $-CH_2-$, or $-(CH_2)_2-$;

X_1 , X_2 , X_3 and X_4 are independently selected from the group consisting of hydrogen, halogen, C_{1-4} alkyl, C_{1-4} alkyl substituted by halogen, C_{1-4} alkylthio, C_{1-4} alkylsulfinyl, C_{1-4} alkylsulfonyl, C_{1-4} alkoxy, C_{1-4} alkoxy substituted by halogen, nitro, amino, mono- C_{1-4} alkylamino, di- C_{1-4} alkylamino, piperidyl, morpholinyl, mono- C_{1-4} alkylaminosulfonyl, di- C_{1-4} alkylaminosulfonyl and hydroxy; provided that at least one substituent selected from the group consisting of X_1 , X_2 , X_3 and X_4 is not

20

hydrogen; and

279

Y is selected from the group consisting of:

- (i) $-C(O)NR_7-$, $-C(S)NR_7-$, or $-C(O)O-$ when L is selected from the group consisting of Formulae (IV) to (XII); wherein R_7 is hydrogen or C_{1-5} alkyl;
- (ii) $-S(O)_2-$, $-C(O)-$, a single bond or $-CH_2-$ when L is selected from the group consisting of Formulae (IV) to (XI), and Q is Formula (IIa) or (IIb);
- (iii) $-S(O)_2-$, $-C(O)-$, a single bond or $-CH_2-$ when L is selected from the group consisting of Formulae (VII) to (XI), and Q is Formula (IIc); and
- (iv) $-OC(O)-$ when L is selected from the group consisting of Formulae (XII) to (XIX);

wherein carbocyclic aryl is phenyl, naphthyl, or biphenyl;

carbocyclyl is indanyl, bicyclo[2.2.1]heptyl, bicyclo[2.2.1]heptenyl, adamantly, 9H-fluorenyl, menthyl, 1,2,3,4-tetrahydro-naphthalen-1-yl, or 1H-indolyl;

heterocyclyl is 2,3-dihydro-benzo[1,4]dioxinyl,

3,4-dihydro-2H-benzo[b][1,4]dioxepinyl, 4,5,6,7-tetrahydro-benzo[b]thienyl, 4H-benzo[1,3]dioxinyl, benzo[1,3]dioxolyl, benzo[2,1,3]thiadiazolyl,

benzothiazolyl, furyl, isoxazolyl, morpholinyl, oxazolyl, piperidyl, pyrazolyl, pyridyl, tetrahydrofuryl, thienyl, dibenzofuranyl, 1H-benzimidazolyl, or thiazolyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

2. The compound according to claim 1 wherein Q is Formulae (IIa), (IIb), or (IIc);

R_1 is selected from the group consisting of:

- (i) C_{1-3} alkyl, and

C_{1-3} alkyl substituted by substituent(s) independently selected from the group consisting of:

•halogen,

• C_{1-3} alkoxy carbonyl,

280

- C₁₋₅ alkoxy,
- C₁₋₅ alkoxy substituted by carbocyclic aryl,
- mono-C₁₋₅ alkylamino,
- di-C₁₋₅ alkylamino,
- 5 •C₃₋₆ cycloalkyl,
- C₃₋₆ cycloalkenyl,
- carbocyclyl,
- carbocyclic aryl,
- carbocyclic aryl substituted by substituent(s) independently selected from
- 10 the group consisting of:
 - hydroxy,
 - halogen,
 - nitro,
 - C₁₋₅ alkylcarbonylamino,
 - 15 ••C₃₋₆ cycloalkylcarbonylamino,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen,
 - C₁₋₅ alkylsulfonyl,
 - C₂₋₆ alkenyl,
 - 20 ••C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by halogen, and
 - carbocyclic aryl,
 - heterocyclyl, and
 - heterocyclyl substituted by halogen,
 - 25 (ii) C₂₋₅ alkenyl, and
 - C₂₋₅ alkenyl substituted by carbocyclic aryl,
 - (iii) C₂₋₅ alkynyl,
 - (iv) C₃₋₁₂ cycloalkyl, and

C₃₋₁₂ cycloalkyl substituted by carbocyclic aryl,

(v) carbocyclyl, and

carbocyclyl by substituent(s) independently selected from the group consisting of:

- hydroxy, and
- carbocyclic aryl,

(vi) carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- cyano,
- nitro,
- C₁₋₁₀ alkyl,
- C₁₋₁₀ alkyl substituted by substituent(s) independently selected from the group consisting of:

- halogen,
- oxo, and
- carbocyclic aryl,

- carboxy,
- C₁₋₅ alkoxy carbonyl,
- C₁₋₇ alkoxy,
- C₁₋₇ alkoxy substituted by substituent(s) independently selected from the group consisting of:

- halogen, and

- carbocyclic aryl,

- carbocyclic aryloxy,
- carbocyclic aryloxy substituted by nitro,
- mono-C₁₋₅ alkylamino,

282

- di-C₁₋₅ alkylamino,
- C₁₋₅ alkoxy carbonylamino,
- carbocyclic aryl azo,
- carbocyclic aryl azo substituted by substituent(s) independently selected
- 5 from the group consisting of:
 - mono-C₁₋₅ alkylamino, and
 - di-C₁₋₅ alkylamino,
 - C₁₋₅ alkylthio,
 - C₁₋₅ alkylthio substituted by halogen,
 - 10 •carbocyclic arylthio,
 - carbocyclic arylthio substituted by nitro,
 - amino sulfonyl,
 - heterocyclyl sulfonyl,
 - C₃₋₆ cycloalkyl,
 - 15 •C₃₋₆ cycloalkyl substituted by C₁₋₅ alkyl,
 - carbocyclic aryl,
 - heterocyclyl, and
 - heterocyclyl substituted by C₁₋₅ alkyl,
- (vii) heterocyclyl, and
- 20 heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
 - halogen,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen,
 - 25 •C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy carbonyl,
 - C₁₋₅ alkoxy carbonyl substituted by carbocyclic aryl,
 - carbocyclic aryloxy,

283

•carbocyclic aryl, and

•heterocyclyl;

R_2 is $-N(R_{2a})(R_{2b})$, wherein R_{2a} is hydrogen or C_{1-5} alkyl; R_{2b} is C_{1-5} alkyl;

R_3 is C_{1-5} alkyl;

5 R_4 is $-N(R_{4a})(R_{4b})$ wherein R_{4a} is hydrogen or C_{1-5} alkyl; R_{4b} is C_{1-5} alkyl;

L is selected from Formula (V), (VIII), (IX), (XIII), (XVI), or (XVII);

X_1 , X_2 , X_3 and X_4 are independently selected from the group consisting of hydrogen, halogen, and C_{1-4} alkyl; provided that at least one substituent selected from the group consisting of X_1 , X_2 , X_3 and X_4 is not hydrogen; and

10 Y is selected from the group consisting of:

(i) $-C(O)NR_7$ -, $-C(S)NR_7$ -, or $-C(O)O$ - when L is selected from the group consisting of Formula (V), (VIII), (IX), (XIII), (XVI), or (XVII); wherein R_7 is hydrogen or C_{1-5} alkyl;

15 (ii) $-S(O)_2$ -, $-C(O)$ -, a single bond or $-CH_2$ - when L is selected from the group consisting of Formula (VIII) or (IX); and

(iii) $-OC(O)$ - when L is selected from the group consisting of Formula (XIII), (XVI), or (XVII);

wherein carbocyclic aryl is phenyl or naphthyl;

20 carbocyclyl is indanyl, bicyclo[2.2.1]heptyl, bicyclo[2.2.1]heptenyl, adamantly, 9*H*-fluorenyl, menthyl, 1,2,3,4-tetrahydro-naphthalen-1-yl, or 1*H*-indolyl;

heterocyclyl is 2,3-dihydro-benzo[1,4]dioxinyl,

3,4-dihydro-2*H*-benzo[b][1,4]dioxepinyl, 4,5,6,7-tetrahydro-benzo[b]thienyl,

4*H*-benzo[1,3]dioxinyl, benzo[1,3]dioxolyl, benzo[2,1,3]thiadiazolyl,

25 benzothiazolyl, furyl, isoxazolyl, morpholinyl, oxazolyl, piperidyl, pyrazolyl, pyridyl, tetrahydrofuryl, thienyl, dibenzofuranyl, 1*H*-benzoimidazolyl, or thiazolyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

3. The compound according to claim 2 wherein Q is Formula (IIc);
or a pharmaceutically acceptable salt, hydrate or solvate thereof.

- 5 4. The compound according to claim 3 wherein R₁ is selected from the group consisting of:

- (i) C₁₋₅ alkyl, and

C₁₋₅ alkyl substituted by substituent(s) independently selected from the group
consisting of:

•C₁₋₅ alkoxy carbonyl,

10

•carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from
the group consisting of:

••halogen,

••C₁₋₅ alkyl,

15

••C₂₋₅ alkenyl, and

••C₁₋₅ alkoxy,

•C₁₋₅ alkylthio, and

•heterocyclyl,

- (ii) C₃₋₆ cycloalkyl, and

20

C₃₋₆ cycloalkyl substituted by carbocyclic aryl,

- (iii) carbocyclyl,

- (iv) carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the
group consisting of:

25

•halogen,

•cyano,

•nitro,

•C₁₋₅ alkyl,

285

•C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

••halogen,

••oxo, and

••carbocyclic aryl,

•C₁₋₅ alkoxy carbonyl,

•C₁₋₇ alkoxy,

•C₁₋₇ alkoxy substituted by substituent(s) independently selected from the group consisting of:

••halogen, and

••carbocyclic aryl,

•cycloalkoxy,

•carbocyclic aryloxy,

•mono-C₁₋₅ alkylamino,

•di-C₁₋₅ alkylamino,

•C₁₋₅ alkylthio,

•C₁₋₅ alkylthio substituted by halogen,

•carbocyclic aryl,

•heterocyclyl, and

•heterocyclyl substituted by C₁₋₅ alkyl,

(v) heterocyclyl, and

heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

•halogen,

•C₁₋₅ alkyl,

•C₁₋₅ alkyl substituted by halogen,

•C₁₋₅ alkoxy carbonyl

•C₁₋₅ alkoxy carbonyl substituted by carbocyclic aryl, and

286

•carbocyclic aryl;

L is Formula (V);

and

Y is -C(O)NR₇-; wherein R₇ is hydrogen or C₁₋₅ alkyl;

5

wherein carbocyclic aryl is phenyl or naphthyl;

carbocyclyl is indanyl, adamantyl, or 9H-fluorenyl;

heterocyclyl is 2,3-dihydro-benzo[1,4]dioxinyl,

3,4-dihydro-2H-benzo[b][1,4]dioxepinyl, 4H-benzo[1,3]dioxinyl,

benzo[1,3]dioxolyl, benzothiazolyl, furyl, isoxazolyl, piperidyl, pyridyl, or thienyl;

10

and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

5. The compound according to claim 4 wherein R_{4a} is hydrogen or methyl; R_{4b} is methyl; R₅ and
15 R₆ are hydrogen; A is a single bond and B is a single bond or -CH₂-; and R₇ is hydrogen;
or a pharmaceutically acceptable salt, hydrate or solvate thereof.

6. The compound according to claim 5 wherein R₁ is selected from the group consisting of:

(i) C₁₋₅ alkyl, and

20

C₁₋₅ alkyl substituted by substituent(s) independently selected from the group
consisting of:

•C₁₋₅ alkoxy carbonyl,

•carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from
25 the group consisting of:

••halogen,

••C₁₋₅ alkyl,

••C₂₋₅ alkenyl, and

287

••C₁₋₅ alkoxy,•C₁₋₅ alkylthio, and

•heterocyclyl,

(ii) C₃₋₆ cycloalkyl, and5 C₃₋₆ cycloalkyl substituted by carbocyclic aryl,

(iii) carbocyclyl,

(iv) carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

10 •halogen,

•cyano,

•nitro,

•C₁₋₅ alkyl,•C₁₋₅ alkyl substituted by halogen,15 •C₁₋₅ alkoxy carbonyl,•C₁₋₅ alkoxy,•C₁₋₅ alkoxy substituted by halogen,

•cycloalkoxy,

•carbocyclic aryloxy,

20 •C₁₋₅ alkylthio, and

•carbocyclic aryl,

(v) heterocyclyl, and

heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

25 •halogen,

•C₁₋₅ alkyl,•C₁₋₅ alkyl substituted by halogen, and

•carbocyclic aryl;

288

wherein carbocyclic aryl is phenyl or naphthyl;

carbocyclyl is 9H-fluorenyl;

heterocyclyl is 2,3-dihydro-benzo[1,4]dioxinyl,

3,4-dihydro-2H-benzo[b][1,4]dioxepinyl, 4H-benzo[1,3]dioxinyl,

5 benzo[1,3]dioxolyl, furyl, isoxazolyl, or thienyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

7. The compound according to claim 6 wherein R₁ is selected from the group consisting of:

10 (i) C₁₋₅ alkyl, and
C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

•C₁₋₅ alkoxy carbonyl,

•carbocyclic aryl,

15 •carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

••halogen,

••C₁₋₅ alkyl, and

••C₂₋₅ alkenyl,

20 •C₁₋₅ alkylthio,

(ii) C₃₋₆ cycloalkyl, and

C₃₋₆ cycloalkyl substituted by carbocyclic aryl,

(iii) carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

•halogen,

•cyano,

•nitro,

25

289

- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by halogen,
- C₁₋₅ alkoxy carbonyl,
- C₁₋₅ alkoxy,
- cycloalkoxy,
- carbocyclic aryloxy,
- C₁₋₅ alkylthio, and
- carbocyclic aryl,

(iv) heterocyclyl, and

heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- C₁₋₅ alkyl,
- C₁₋₅ alkyl substituted by halogen, and
- carbocyclic aryl;

wherein carbocyclic aryl is phenyl or naphthyl;

heterocyclyl is 2,3-dihydro-benzo[1,4]dioxinyl,

3,4-dihydro-2*H*-benzo[b][1,4]dioxepinyl, benzo[1,3]dioxolyl, furyl, or isoxazolyl;

and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

8. The compound according to claim 1 selected from the group consisting of:

N-benzyl-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)urea;

N-(2-bromophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)urea;

N-biphenyl-2-yl-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)urea;

N-(4-bromophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)urea;

N-butyl-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)urea;

N-cyclohexyl-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)urea;

N-(2-chlorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)urea;
 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2,6-dimethylphenyl)-
 urea;

5 N-(2,4-difluorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-
 urea;

N-(2,4-dichlorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-
 urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2,3-dimethylphenyl)-
 urea;

10 ethyl 3-({[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)amino]carbonyl}-
 amino)benzoate;

ethyl 4-({[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)amino]carbonyl}-
 amino)benzoate;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(4-ethylphenyl)urea;

15 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-ethyl-6-
 methylphenyl)urea;

ethyl N-({[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)amino]carbonyl}-
 leucinate;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(4-fluorophenyl)urea;

20 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-[1-(3-
 isopropenylphenyl)-1-methylethyl]urea;

methyl N-({[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)amino]carbonyl}-
 methioninate;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(4-methoxyphenyl)-

25 urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-methoxyphenyl)-
 urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(3-methoxyphenyl)-

urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-[4-(methylthio)-phenyl]urea;

5 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(4-methoxybenzyl)-urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-1-naphthylurea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-[(2S)-2-phenylcyclopropyl]urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-phenylurea;

10 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(4-phenoxyphenyl)-urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-pentylurea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-[2-(trifluoromethyl)-phenyl]urea;

15 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(4-methylphenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-mesitylurea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(3-methylphenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-methylphenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-[1-(1-naphthyl)ethyl]-

20 urea;

methyl N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)amino]carbonyl)-phenylalaninate;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2,4,6-trichlorophenyl)urea;

25 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(1-phenylethyl)urea;

1-[4-(4-dimethylamino-quinazolin-2-ylamino)-cyclohexyl]-3-(1-phenyl-ethyl)-urea;

1-[4-(4-dimethylamino-quinazolin-2-ylamino)-cyclohexyl]-3-(1-naphthalen-1-yl-ethyl)-urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-[2-(methylthio)-

phenyl]urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2,3,5,6-tetrachlorophenyl)urea;

5 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2,3-dimethyl-6-nitrophenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2,4,6-tribromophenyl)urea;

N-(2,4-dibromo-6-fluorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)urea;

10 N-(2,4-dibromophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-urea;

N-(2,4-dichlorobenzyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-urea;

15 N-(2,4-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)urea;

N-(2,5-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)urea;

N-(2,6-diethylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-urea;

20 N-(2-chloro-5-nitrophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)urea;

N-[2-chloro-6-(trifluoromethyl)phenyl]-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)urea;

25 N-(2-chloro-6-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)urea;

N-(2-chlorobenzyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-ethoxyphenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-ethyl-6-

isopropylphenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-ethylphenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-fluorobenzyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-iodophenyl)urea;

5 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-isopropyl-6-methylphenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-isopropylphenyl)-urea;

10 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-methoxy-4-nitrophenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-methoxy-5-methylphenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-methyl-3-nitrophenyl)urea;

15 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-methyl-4-nitrophenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-methyl-5-nitrophenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-methylbenzyl)urea;

20 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-nitrophenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-propylphenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-phenoxyphenyl)-urea;

25 N-(2-tert-butyl-6-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)urea;

N-(2-tert-butylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-[3-(methylthio)-

- phenyl]urea;
- N-1,3-benzodioxol-5-yl-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-urea;
- N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(3,4,5-
- 5 trimethoxyphenyl)urea;
- N-(3,4-dichlorobenzyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-urea;
- N-(3,4-difluorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-urea;
- 10 N-(3,4-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)urea;
- N-(3,5-difluorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-urea;
- N-(3,5-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-
- 15 cyclohexyl)urea;
- N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(3,5-dimethylphenyl)-urea;
- methyl 3-([[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)amino]carbonyl]-amino)benzoate;
- 20 N-(3-chloro-2-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)urea;
- N-(3-chloro-4-fluorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)urea;
- N-(3-chloro-4-methoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-
- 25 cyclohexyl)urea;
- N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(3-ethylphenyl)urea;
- N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(3-fluorobenzyl)urea;
- N-[4-bromo-2-(trifluoromethyl)phenyl]-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-

yl]amino} cyclohexyl)urea;

N-(4-bromo-2,6-difluorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)urea;

N-(4-bromobenzyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)urea;

5 N-[4-chloro-2-(trifluoromethyl)phenyl]-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)urea;

N-(4-chloro-2-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)urea;

N-(4-cyanophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)urea;

10 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(4-ethoxyphenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(4-fluoro-2-nitrophenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(4-fluorobenzyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(4-iodophenyl)urea;

15 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(4-methoxy-2-methylphenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(4-methylbenzyl)urea;

N-(5-chloro-2,4-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)urea;

20 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(5-fluoro-2-methylphenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-9H-fluoren-9-ylurea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(2-phenylethyl)urea;

N-cyclopentyl-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)urea;

25 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(diphenylmethyl)urea;

N-[1-(4-bromophenyl)ethyl]-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)urea;

N-(4-bromo-2,6-dimethylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-

cyclohexyl)urea;

N-(4-bromo-2-methylphenyl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
cyclohexyl)urea;

ethyl N-{{(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}cyclohexyl)amino}carbonyl}-
5 phenylalaninate;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}cyclohexyl)-N'-[2-(2-thienyl)ethyl]-
urea;

N-(2,3-dihydro-1,4-benzodioxin-6-yl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-
yl}amino}cyclohexyl)urea;

10 N-(2,6-dibromo-4-isopropylphenyl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
cyclohexyl)urea;

N-[3-(cyclopentyloxy)-4-methoxyphenyl]-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-
yl}amino}cyclohexyl)urea;

N-(3,4-dihydro-2H-1,5-benzodioxepin-7-yl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-
15 yl}amino}cyclohexyl)urea;

N-(4-butyl-2-methylphenyl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
cyclohexyl)urea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}cyclohexyl)-N'-[5-methyl-2-
(trifluoromethyl)-3-furyl]urea;

20 N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}cyclohexyl)-N'-(6-fluoro-4H-1,3-
benzodioxin-8-yl)urea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}cyclohexyl)-N'-(3,5-dimethylisoxazol-
4-yl)urea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}cyclohexyl)-N'-(3-methyl-5-
25 phenylisoxazol-4-yl)urea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}cyclohexyl)-N'-(5-methyl-3-
phenylisoxazol-4-yl)urea;

N-(2-bromophenyl)-N'-[(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}cyclohexyl)-

methyl]urea;

N-biphenyl-2-yl-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-
urea;

N-butyl-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]urea;

5 N-(3-chlorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-
methyl]urea;

N-cyclohexyl-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-
urea;

10 N-(3-cyanophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-
methyl]urea;

N-(2-chlorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-
methyl]urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-(2,6-
dimethylphenyl)urea;

15 N-(3,4-dichlorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-
methyl]urea;

N-(2,4-difluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-
methyl]urea;

20 N-(2,4-dichlorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-
methyl]urea;

N-(3,5-dichlorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-
methyl]urea;

N-(2,3-dichlorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-
methyl]urea;

25 N-(2,6-difluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-
methyl]urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-(2,3-
dimethylphenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(4-ethylphenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-ethyl-6-methylphenyl)urea;

5 ethyl N-({[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]amino}-carbonyl)leucinate;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(4-fluorophenyl)urea;

10 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(3-fluorophenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-fluorophenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-[1-(3-isopropenylphenyl)-1-methylethyl]urea;

15 methyl N-({[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]amino}-carbonyl)methioninate;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(4-methoxyphenyl)urea;

20 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(4-methyl-2-nitrophenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-methoxyphenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(3-methoxyphenyl)urea;

25 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-[4-(methylthio)phenyl]urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-1-naphthylurea;

- N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-phenylurea;
N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-pentylurea;
N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-[2-(trifluoromethyl)phenyl]urea;
- 5 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(4-methylphenyl)urea;
N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-mesitylurea;
N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(3-methylphenyl)urea;
- 10 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-methylphenyl)urea;
N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2,4,6-trichlorophenyl)urea;
N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(1-phenylethyl)urea;
- 15 1-[4-(4-dimethylamino-quinazolin-2-ylamino)-cyclohexylmethyl]-3-(1-phenyl-ethyl)-urea;
1-[4-(4-dimethylamino-quinazolin-2-ylamino)-cyclohexylmethyl]-3-(1-naphthalen-1-yl-ethyl)-urea;
N-(2,6-diisopropylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;
- 20 N-[2-(difluoromethoxy)phenyl]-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;
N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-[2-(methylthio)phenyl]urea;
- 25 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2,3,5,6-tetrachlorophenyl)urea;
N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2,3-dimethyl-6-nitrophenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2,4,6-tribromophenyl)urea;

N-(2,4-dibromo-6-fluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

5 N-(2,4-dichlorobenzyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-methyl]urea;

N-(2,5-dimethoxyphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

10 N-(2,6-dibromo-4-fluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

N-(2,6-dichlorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-methyl]urea;

N-(2,6-diethylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-methyl]urea;

15 N-(2-chloro-5-methylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

N-[2-chloro-6-(trifluoromethyl)phenyl]-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]-amino} cyclohexyl)methyl]urea;

20 N-(2-chloro-6-methylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

N-(2-chlorobenzyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-methyl]urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-ethyl-6-isopropylphenyl)urea;

25 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-ethylphenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-fluoro-5-nitrophenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-fluorobenzyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-iodophenyl)urea;

5 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-isopropyl-6-methylphenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-isopropylphenyl)urea;

10 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-methoxy-5-methylphenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-methoxy-5-nitrophenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-methyl-3-nitrophenyl)urea;

15 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-methyl-4-nitrophenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-methyl-5-nitrophenyl)urea;

20 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-methyl-6-nitrophenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-methylbenzyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-nitrophenyl)urea;

25 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-propylphenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-phenoxyphenyl)urea;

N-(2-tert-butyl-6-methylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

N-(2-tert-butylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)-methyl]urea;

5 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]-N'-[3-(methylthio)phenyl]urea;

N-(3,4-difluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)-methyl]urea;

10 N-(3,5-difluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)-methyl]urea;

N-(3,5-dimethoxyphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

N-(3-chloro-2-methylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

15 N-(3-chloro-4-fluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]-N'-(3-ethylphenyl)urea;

20 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]-N'-[3-fluoro-5-(trifluoromethyl)phenyl]urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]-N'-(3-fluorobenzyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]-N'-(4,5-dimethyl-2-nitrophenyl)urea;

25 N-[4-bromo-2-(trifluoromethyl)phenyl]-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

N-(4-bromo-2,6-difluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

N-[4-chloro-2-(trifluoromethyl)phenyl]-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]urea;

N-(4-chloro-2-methylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

5 N-(4-cyanophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-methyl]urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-(4-fluoro-2-nitrophenyl)urea;

10 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-(4-fluorobenzyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-(4-iodophenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-(4-methoxy-2-methylphenyl)urea;

15 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-(4-methyl-3-nitrophenyl)urea;

N-(5-chloro-2-methylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

20 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-(5-fluoro-2-methylphenyl)urea;

N-cyclopentyl-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-(diphenylmethyl)urea;

25 N-(4-bromo-2,6-dimethylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

N-(4-bromo-2-methylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

- N-(2,6-dibromo-4-isopropylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;
- N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]-N'-3-thienylurea;
- N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]-N'-[5-methyl-2-
- 5 (trifluoromethyl)-3-furyl]urea;
- N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]-N'-(6-fluoro-4H-1,3-benzodioxin-8-yl)urea;
- N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]-N'-(3,5-dimethylisoxazol-4-yl)urea;
- 10 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]-N'-(3-methyl-5-phenylisoxazol-4-yl)urea;
- N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]-N'-(5-methyl-3-phenylisoxazol-4-yl)urea; and
- N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)-N'-[3-(trifluoromethoxy)-
- 15 phenyl]urea;
- or a pharmaceutically acceptable salt, hydrate or solvate thereof.
9. The compound according to claim 1 selected from the group consisting of:
- N-(2-bromophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)urea;
- 20 N-biphenyl-2-yl-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)urea;
- N-butyl-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)urea;
- N-(2-chlorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)urea;
- N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)-N'-(2,6-dimethylphenyl)-urea;
- 25 N-(2,4-difluorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)-urea;
- N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)-N'-(2,3-dimethylphenyl)-urea;

ethyl 3-({[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)amino]carbonyl}-amino)benzoate;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(2-ethyl-6-methylphenyl)urea;

5 ethyl N-({[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)amino]-carbonyl}) leucinate;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(4-fluorophenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-[1-(3-isopropenylphenyl)-1-methylethyl]urea;

10 methyl N-({[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)amino]-carbonyl}) methioninate;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-[4-(methylthio)phenyl]urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-1-naphthylurea;

15 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-[(2S)-2-phenylcyclopropyl]urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(4-phenoxyphenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-pentylurea;

20 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-[2-(trifluoromethyl)-phenyl]urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-mesitylurea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(2-methylphenyl)urea;

25 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-[1-(1-naphthyl)ethyl]-urea;

methyl N-({[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)amino]carbonyl}-phenylalaninate;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(2,4,6-

trichlorophenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(1-phenylethyl)urea;

1-[4-(4-Dimethylamino-quinazolin-2-ylamino)-cyclohexyl]-3-(1-phenylethyl)-urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(2,3,5,6-

5 tetrachlorophenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(2,4,6-

tribromophenyl)urea;

N-(2,4-dibromo-6-fluorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-
cyclohexyl)urea;

10 N-(2,4-dibromophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-
urea;

N-(2,4-dichlorobenzyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-
urea;

N-(2,4-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-

15 cyclohexyl)urea;

N-(2,6-diethylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-
urea;

N-[2-chloro-6-(trifluoromethyl)phenyl]-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]-
amino} cyclohexyl)urea;

20 N-(2-chloro-6-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-
cyclohexyl)urea;

N-(2-chlorobenzyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(2-ethoxyphenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(2-ethyl-6-

25 isopropylphenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(2-ethylphenyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(2-fluorobenzyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(2-iodophenyl)urea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}cyclohexyl)-N'-(2-isopropyl-6-methylphenyl)urea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}cyclohexyl)-N'-(2-isopropylphenyl)-urea;

5 N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}cyclohexyl)-N'-(2-methyl-3-nitrophenyl)urea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}cyclohexyl)-N'-(2-methyl-4-nitrophenyl)urea;

10 N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}cyclohexyl)-N'-(2-methyl-5-nitrophenyl)urea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}cyclohexyl)-N'-(2-methylbenzyl)urea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}cyclohexyl)-N'-(2-nitrophenyl)urea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}cyclohexyl)-N'-(2-propylphenyl)urea;

15 N-(2-tert-butyl-6-methylphenyl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-cyclohexyl)urea;

N-(2-tert-butylphenyl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}cyclohexyl)-urea;

N-1,3-benzodioxol-5-yl-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}cyclohexyl)-urea;

20 N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}cyclohexyl)-N'-(3,4,5-trimethoxyphenyl)urea;

N-(3,4-dimethoxyphenyl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-cyclohexyl)urea;

25 N-(3-chloro-2-methylphenyl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-cyclohexyl)urea;

N-(3-chloro-4-methoxyphenyl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-cyclohexyl)urea;

N-[4-bromo-2-(trifluoromethyl)phenyl]-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}-

amino}cyclohexyl)urea;

N-(4-bromo-2,6-difluorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)urea;

N-(4-bromobenzyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)urea;

5 N-[4-chloro-2-(trifluoromethyl)phenyl]-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]-amino}cyclohexyl)urea;

N-(4-chloro-2-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)urea;

N-(4-cyanophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)urea;

10 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(4-fluorobenzyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(4-methoxy-2-methylphenyl)urea;

N-(5-chloro-2,4-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)urea;

15 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(diphenylmethyl)urea;

N-[1-(4-bromophenyl)ethyl]-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)urea;

N-(4-bromo-2,6-dimethylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)urea;

20 N-(4-bromo-2-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)urea;

ethyl N-{{{cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl}amino}carbonyl}-phenylalaninate;

N-(2,3-dihydro-1,4-benzodioxin-6-yl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)urea;

25 N-(2,6-dibromo-4-isopropylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)urea;

N-[3-(cyclopentyloxy)-4-methoxyphenyl]-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-

yl]amino}cyclohexyl)urea;

N-(3,4-dihydro-2H-1,5-benzodioxepin-7-yl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)urea;

5 N-(4-butyl-2-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-[5-methyl-2-(trifluoromethyl)-3-furyl]urea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(3-methyl-5-phenylisoxazol-4-yl)urea;

10 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(5-methyl-3-phenylisoxazol-4-yl)urea;

N-(2-chlorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-methyl]urea;

15 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-(2,6-dimethylphenyl)urea;

N-(2,4-difluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-methyl]urea;

N-(3,5-dichlorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-methyl]urea;

20 N-(2,3-dichlorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-methyl]urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-(2,3-dimethylphenyl)urea;

25 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-(2-ethyl-6-methylphenyl)urea;

ethyl N-([[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]amino]-carbonyl)leucinate;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-(4-

fluorophenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-[4-(methylthio)phenyl]urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-phenylurea;

5 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-[2-(trifluoromethyl)phenyl]urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-(4-methylphenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-mesitylurea;

10 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-(2-methylphenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-(2,4,6-trichlorophenyl)urea;

N-(2,6-diisopropylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

15 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-(2,3-dimethyl-6-nitrophenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-(2,4,6-tribromophenyl)urea;

20 N-(2,4-dibromo-6-fluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

N-(2,6-dibromo-4-fluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

25 N-(2,6-dichlorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-methyl]urea;

N-(2,6-diethylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-methyl]urea;

N-[2-chloro-6-(trifluoromethyl)phenyl]-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]-

amino)cyclohexyl)methyl]urea;

N-(2-chloro-6-methylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-
cyclohexyl)methyl]urea;

N-(2-chlorobenzyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-
5 methyl]urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-ethyl-6-
isopropylphenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-
ethylphenyl)urea;

10 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-
iodophenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-isopropyl-6-
methylphenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-
15 isopropylphenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-methoxy-5-
methylphenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-methyl-3-
nitrophenyl)urea;

20 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-methyl-6-
nitrophenyl)urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-
propylphenyl)urea;

N-(2-tert-butyl-6-methylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-
25 cyclohexyl)methyl]urea;

N-(2-tert-butylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-
methyl]urea;

N-(3,4-difluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-

methyl]urea;

N-(3,5-difluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-methyl]urea;

5 N-(3-chloro-2-methylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

N-(3-chloro-4-fluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

N-(4-bromo-2,6-difluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

10 N-[4-chloro-2-(trifluoromethyl)phenyl]-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]-amino}cyclohexyl)methyl]urea;

N-(4-cyanophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-methyl]urea;

15 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-(diphenylmethyl)urea;

N-(4-bromo-2,6-dimethylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]urea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-[5-methyl-2-(trifluoromethyl)-3-furyl]urea; and

20 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)methyl]-N'-(3-methyl-5-phenylisoxazol-4-yl)urea;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

10. The compound according to claim 3 wherein R₁ is selected from the group consisting of:

25 (i) C₁₋₅ alkyl, and

C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

•mono-C₁₋₅ alkylamino,

313

- di-C₁₋₅ alkylamino,
•C₃₋₆ cycloalkyl,
•C₃₋₆ cycloalkenyl,
•carbocyclic aryl,
5 •carbocyclic aryl substituted by substituent(s) independently selected from
the group consisting of:
 •halogen,
 •C₁₋₅ alkyl, and
 •C₁₋₅ alkoxy,
10 •heterocyclyl,
(ii) C₂₋₅ alkynyl,
(iii) C₂₋₅ alkenyl, and
C₂₋₅ alkenyl substituted by carbocyclic aryl,
(iv) C₃₋₁₂ cycloalkyl,
15 (v) carbocyclyl,
(vi) carbocyclic aryl, and
carbocyclic aryl substituted by substituent(s) independently selected from the
group consisting of:
•halogen,
20 •cyano,
•nitro,
•C₁₋₁₀ alkyl,
•C₁₋₁₀ alkyl substituted by substituent(s) independently selected from the
group consisting of:
25 •halogen, and
 •oxo,
•carboxy,
•C₁₋₅ alkoxy carbonyl,

314

•C₁₋₅ alkoxy,

•C₁₋₅ alkoxy substituted by substituent(s) independently selected from the group consisting of:

•halogen, and

5

•carbocyclic aryl,

•carbocyclic aryloxy,

•carbocyclic aryloxy substituted by nitro,

•mono-C₁₋₅ alkylamino,

•di-C₁₋₅ alkylamino,

10

•C₁₋₅ alkoxy carbonylamino,

•carbocyclic aryl azo,

•carbocyclic aryl azo substituted by substituent(s) independently selected from the group consisting of:

•mono-C₁₋₅ alkylamino, and

15

•di-C₁₋₅ alkylamino,

•C₁₋₅ alkylthio,

•C₁₋₅ alkylthio substituted by halogen,

•carbocyclic arylthio,

•carbocyclic arylthio substituted by nitro,

20

•amino sulfonyl,

•heterocyclyl sulfonyl,

•C₃₋₆ cycloalkyl,

•C₃₋₆ cycloalkyl substituted by C₁₋₅ alkyl,

•carbocyclic aryl, and

25

•heterocyclyl,

(vii) heterocyclyl, and

heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

315

- C₁₋₅ alkyl,
- C₁₋₅ alkoxy carbonyl,
- carbocyclic aryloxy,
- carbocyclic aryl, and
- heterocyclyl;

L is Formula (V); and

Y is -C(S)NR₇-; wherein R₇ is hydrogen or C₁₋₅ alkyl;

wherein carbocyclic aryl is phenyl or naphthyl;

carbocyclyl is indanyl, bicyclo[2.2.1]heptyl, bicyclo[2.2.1]heptenyl, or

adamantly;

heterocyclyl is 2,3-dihydro-benzo[1,4]dioxinyl,

4,5,6,7-tetrahydro-benzo[b]thienyl, benzo[1,3]dioxolyl, benzo[2,1,3]thiadiazolyl,

furyl, isoxazolyl, morpholinyl, oxazolyl, piperidyl, pyrazolyl, pyridyl, tetrahydrofuryl, or thienyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

11. The compound according to claim 10 wherein R_{4a} is hydrogen or methyl; R_{4b} is methyl; R₅ and R₆ are hydrogen; A is a single bond; B is a single bond or -CH₂-; and R₇ is hydrogen; or a pharmaceutically acceptable salt, hydrate or solvate thereof.

12. The compound according to claim 11 wherein R₁ is selected from the group consisting of:

(i) C₁₋₆ alkyl, and

C₁₋₆ alkyl substituted by substituent(s) independently selected from the group consisting of:

- C₃₋₆ cycloalkyl,
- C₃₋₆ cycloalkenyl,
- carbocyclic aryl,

316

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

•halogen,

•C₁₋₅ alkyl, and

•C₁₋₅ alkoxy,

•heterocyclyl,

(ii) C₃₋₁₂ cycloalkyl,

(iii) carbocyclyl,

(iv) carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

•halogen,

•cyano,

•nitro,

•C₁₋₅ alkyl,

•C₁₋₅ alkyl substituted by halogen,

•C₁₋₅ alkoxy carbonyl,

•C₁₋₅ alkoxy,

•C₁₋₅ alkoxy substituted by halogen,

•mono-C₁₋₅ alkylamino,

•di-C₁₋₅ alkylamino,

•C₁₋₅ alkylthio, and

•carbocyclic aryl,

(v) heterocyclyl, and

heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

•C₁₋₅ alkyl,

•C₁₋₅ alkoxy carbonyl, and

317

•carbocyclic aryl;

wherein carbocyclic aryl is phenyl or naphthyl;

carbocyclyl is indanyl, bicyclo[2.2.1]heptyl, or bicyclo[2.2.1]heptenyl;

heterocyclyl is 2,3-dihydro-benzo[1,4]dioxinyl, benzo[1,3]dioxolyl,

5 isoxazolyl, tetrahydrofuryl, or thienyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

13. The compound according to claim 12 wherein R₁ is selected from the group consisting of:

10 (i) C₁₋₅ alkyl, and

C₁₋₅ alkyl substituted by substituent(s) independently selected from the group consisting of:

•carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from

15 the group consisting of:

•halogen, and

•C₁₋₅ alkoxy,

(ii) carbocyclyl,

(iii) carbocyclic aryl, and

20 carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

•halogen,

•cyano,

•nitro,

25 •C₁₋₅ alkyl,

•C₁₋₅ alkyl substituted by halogen,

•C₁₋₅ alkoxy carbonyl,

•C₁₋₅ alkoxy,

318

- C₁₋₅ alkoxy substituted by halogen,
 - mono-C₁₋₅ alkylamino,
 - di-C₁₋₅ alkylamino, and
 - carbocyclic aryl,
- 5 (iv) heterocyclyl, and
- heterocyclyl substituted by substituent(s) independently selected from the group consisting of:
- C₁₋₅ alkyl,
 - C₁₋₅ alkoxy carbonyl, and
- 10 •carbocyclic aryl;
- wherein carbocyclic aryl is phenyl or naphthyl;
- carbocyclyl is bicyclo[2.2.1]heptyl;
- heterocyclyl is 2,3-dihydro-benzo[1,4]dioxinyl, benzo[1,3]dioxolyl, isoxazolyl, or thienyl; and
- 15 halogen is fluoro, chloro, bromo, or iodo;
- or a pharmaceutically acceptable salt, hydrate or solvate thereof.

14. The compound according to claim 1 selected from the group consisting of:
- N-(4-bromophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-
- 20 thiourea;
- N-(4-cyanophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-
- thiourea;
- N-cyclohexyl-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)thiourea;
- N-cyclopentyl-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)thiourea;
- 25 N-(4-chlorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-
- thiourea;
- N-(2,4-dichlorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-
- thiourea;

N-(2,4-dimethoxyphenyl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-cyclohexyl)thiourea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(2,6-dimethylphenyl)-thiourea;

5 N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(2-ethyl-6-isopropylphenyl)thiourea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(4-fluorophenyl)-thiourea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-hexylthiourea;

10 N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-isobutylthiourea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(4-methoxybiphenyl-3-yl)thiourea;

N-(1,3-benzodioxol-5-ylmethyl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-cyclohexyl)thiourea;

15 N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-[4-(methylthio)phenyl]-thiourea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(4-methoxyphenyl)-thiourea;

20 N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(2-methoxyphenyl)-thiourea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-1-naphthylthiourea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(4-nitrophenyl)-thiourea;

25 N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(pentafluorophenyl)-thiourea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-propylthiourea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(3,4,5-trimethoxyphenyl)thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(4-methylphenyl)-thiourea;

N-(3,4-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

5 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(4-ethylphenyl)-thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-[2-(methylthio)phenyl]thiourea;

10 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-[2-(trifluoromethoxy)phenyl]thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2,3,4-trifluorophenyl)-thiourea;

N-(2,5-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

15 N-(2-chloro-4-nitrophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-ethylphenyl)-thiourea;

20 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-iodophenyl)-thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-methoxy-4-nitrophenyl)thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-methoxy-5-methylphenyl)thiourea;

25 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(3-iodophenyl)-thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(3-methoxyphenyl)-thiourea;

N-[4-(difluoromethoxy)phenyl]-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-[4-(trifluoromethyl)-phenyl]thiourea;

5 N-(4-bromo-2-chlorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(4-iodophenyl)-thiourea;

10 N-(5-chloro-2-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

N-[(1S,4R)-bicyclo[2.2.1]hept-2-yl]-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

N-[2-(4-chlorophenyl)ethyl]-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

15 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(2,4,6-tribromophenyl)thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(2,4,6-trichlorophenyl)-thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-mesitylthiourea;

20 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(2,4-dimethylphenyl)-thiourea;

N-(2,6-diethylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-thiourea;

25 N-(2,6-diisopropylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

N-(2-bromo-4-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

N-(2-chlorobenzyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-

thiourea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(2-ethyl-6-methylphenyl)thiourea;

5 N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(2-isopropylphenyl)-thiourea;

N-(3,5-dimethoxyphenyl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-cyclohexyl)thiourea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(3,5-dimethylphenyl)-thiourea;

10 N-(3-chloro-4-methylphenyl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-cyclohexyl)thiourea;

methyl 3-({[(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)amino]-carbonothioyl}amino)benzoate;

15 N-(4-bromo-2,6-dimethylphenyl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)thiourea;

N-(4-bromo-2-methylphenyl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-cyclohexyl)thiourea;

N-[4-bromo-2-(trifluoromethyl)phenyl]-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)thiourea;

20 N-(4-chloro-2-methylphenyl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-cyclohexyl)thiourea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-[1-(4-fluorophenyl)-ethyl]thiourea;

25 N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(4-fluorobenzyl)-thiourea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(4-isopropylphenyl)-thiourea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(4-methoxybenzyl)-

- thiourea;
- methyl 4-({[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)amino]-
carbonothioyl} amino)benzoate;
- N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(1-phenylethyl)-
- 5 thiourea;
- N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(diphenylmethyl)-
thiourea;
- N-(cyclohexylmethyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-
thiourea;
- 10 N-cyclooctyl-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)thiourea;
- N-cyclopropyl-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)thiourea;
- N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(1-naphthylmethyl)-
thiourea;
- N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(2,2-diphenylethyl)-
- 15 thiourea;
- N-(2,3-dimethoxybenzyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-
thiourea;
- N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(2,4,5-
trimethylphenyl)thiourea;
- 20 N-[2-(2,5-dimethoxyphenyl)ethyl]-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-
cyclohexyl)thiourea;
- N-biphenyl-2-yl-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)thiourea;
- N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(2-fluorobenzyl)-
thiourea;
- 25 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(2-methyl-4-
nitrophenyl)thiourea;
- N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(2-methylbenzyl)-
thiourea;

- N-(3-chlorobenzyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-thiourea;
- ethyl 3-([[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)amino]-carbonothioyl]amino)benzoate;
- 5 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(3-ethylphenyl)-thiourea;
- N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(3-fluorobenzyl)-thiourea;
- N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(3-methoxybenzyl)-
- 10 thiourea;
- N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(3-methylbenzyl)-thiourea;
- N-[4-chloro-2-(trifluoromethyl)phenyl]-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)thiourea;
- 15 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(4-fluoro-2-methylphenyl)thiourea;
- N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(4-methoxy-2-methylphenyl)thiourea;
- N-(5-chloro-2,4-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-
- 20 cyclohexyl)thiourea;
- N-(2,3-dihydro-1H-inden-5-yl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;
- N-cycloheptyl-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)thiourea;
- N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-[(1R)-1-phenylethyl]-
- 25 thiourea;
- N-(2-cyclohex-1-en-1-ylethyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;
- N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2,3-dimethylphenyl)-

thiourea;

N-(2,4-dibromo-6-fluorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

N-(2,4-dichloro-6-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-
5 cyclohexyl)thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2,5-dimethylphenyl)-thiourea;

N-(2-bromo-4-isopropylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

10 N-(2-bromo-5-fluorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-ethoxyphenyl)-thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-isopropyl-6-
15 methylphenyl)thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-methoxybenzyl)-thiourea;

N-(2,3-dihydro-1,4-benzodioxin-6-yl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)thiourea;

20 N-1,3-benzodioxol-5-yl-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-thiourea;

N-(3-chloro-2-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

N-[4-bromo-2-(trifluoromethoxy)phenyl]-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)thiourea;
25

N-(4-chloro-2,5-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(4-phenylbutyl)-

thiourea;

N-bicyclo[2.2.1]hept-2-yl-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

5 methyl 3-({[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)amino]-carbonothioyl} amino)-4-methylthiophene-2-carboxylate;

methyl 3-({[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)amino]-carbonothioyl} amino)thiophene-2-carboxylate;

N-(2-bromo-4-fluorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

10 N-(4-butyl-2-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

N-[4-(dimethylamino)-1-naphthyl]-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)thiourea;

15 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-N'-(5-methyl-3-phenylisoxazol-4-yl)thiourea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2,6-dimethylphenyl)thiourea;

N-(2,6-dichlorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-methyl]thiourea;

20 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-ethyl-6-isopropylphenyl)thiourea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-isobutylthiourea;

25 N-(1,3-benzodioxol-5-ylmethyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]thiourea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(4-nitrophenyl)thiourea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-

(pentafluorophenyl)thiourea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(tetrahydrofuran-2-ylmethyl)thiourea;

5 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-(trifluoromethoxy)phenyl)thiourea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2,3,4-trifluorophenyl)thiourea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-ethylphenyl)thiourea;

10 N-(5-chloro-2-methylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]thiourea;

N-[(1S,4R)-bicyclo[2.2.1]hept-2-yl]-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]thiourea;

15 N-[2-(3,4-dimethoxyphenyl)ethyl]-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]thiourea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2,4,6-tribromophenyl)thiourea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2,4,6-trichlorophenyl)thiourea;

20 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-mesitylthiourea;

N-(2,6-diethylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-methyl]thiourea;

25 N-(2,6-diisopropylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]thiourea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-ethyl-6-methylphenyl)thiourea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-

isopropylphenyl)thiourea;

N-(4-bromo-2,6-dimethylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]thiourea;

N-[4-bromo-2-(trifluoromethyl)phenyl]-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]thiourea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-[1-(4-fluorophenyl)ethyl]thiourea;

N-(5-chloro-2-methoxyphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]thiourea;

10 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(diphenylmethyl)thiourea;

N-cyclododecyl-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]thiourea;

15 N-(cyclohexylmethyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-methyl]thiourea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2,3,5,6-tetrachlorophenyl)thiourea;

N-(2,3-dimethoxybenzyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]thiourea;

20 N-(2,4-dichlorobenzyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)-methyl]thiourea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-methoxy-5-nitrophenyl)thiourea;

25 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(4-methoxy-2-methylphenyl)thiourea;

N-(2,4-dibromo-6-fluorophenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)methyl]thiourea;

N-(2,4-dichloro-6-methylphenyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-

cyclohexyl)methyl]thiourea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2,5-dimethylphenyl)thiourea;

5 N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-ethoxyphenyl)thiourea;

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(2-isopropyl-6-methylphenyl)thiourea;

N-[4-bromo-2-(trifluoromethoxy)phenyl]-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]thiourea;

10 N-bicyclo[2.2.1]hept-2-yl-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]thiourea;

N-bicyclo[2.2.1]hept-5-en-2-yl-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]thiourea;

15 N-(cyclopropylmethyl)-N'-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]thiourea; and

N-[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)methyl]-N'-(5-methyl-3-phenylisoxazol-4-yl)thiourea;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

20 15. The compound according to claim 1 selected from the group consisting of:

N-(4-bromophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)thiourea;

N-(4-cyanophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)thiourea;

25 N-(2,4-dichlorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)thiourea;

N-(2,4-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclohexyl)thiourea;

- N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(2,6-dimethylphenyl)-thiourea;
- N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(2-ethyl-6-isopropylphenyl)thiourea;
- 5 N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(2-methoxyphenyl)-thiourea;
- N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-1-naphthylthiourea;
- N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(3,4,5-trimethoxyphenyl)thiourea;
- 10 N-(3,4-dimethoxyphenyl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-cyclohexyl)thiourea;
- N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(2-ethylphenyl)-thiourea;
- N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(2-methoxy-4-
- 15 nitrophenyl)thiourea;
- N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(2-methoxy-5-methylphenyl)thiourea;
- N-(4-bromo-2-chlorophenyl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-cyclohexyl)thiourea;
- 20 N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(4-iodophenyl)-thiourea;
- N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(2,4,6-tribromophenyl)thiourea;
- N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(2,4,6-trichlorophenyl)-
- 25 thiourea;
- N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-mesitylthiourea;
- N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(2,4-dimethylphenyl)-thiourea;

N-(2,6-diethylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-thiourea;

N-(2-bromo-4-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

5 N-(2-chlorobenzyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-ethyl-6-methylphenyl)thiourea;

10 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-isopropylphenyl)-thiourea;

methyl 3-({[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)amino]-carbonothioyl}amino)benzoate;

N-(4-bromo-2,6-dimethylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)thiourea;

15 N-(4-bromo-2-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

N-[4-bromo-2-(trifluoromethyl)phenyl]-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)thiourea;

20 N-(4-chloro-2-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(1-naphthylmethyl)-thiourea;

N-(2,3-dimethoxybenzyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-thiourea;

25 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2,4,5-trimethylphenyl)thiourea;

N-biphenyl-2-yl-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-methyl-4-

nitrophenyl)thiourea;

N-(3-chlorobenzyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-

thiourea;

ethyl 3-({[(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)amino]-

5 carbonothioyl}amino)benzoate;

N-[4-chloro-2-(trifluoromethyl)phenyl]-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-

yl]amino}cyclohexyl)thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(4-fluoro-2-methylphenyl)thiourea;

10 N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(4-methoxy-2-methylphenyl)thiourea;

N-(5-chloro-2,4-dimethoxyphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-[(1R)-1-phenylethyl]-

15 thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2,3-dimethylphenyl)-

thiourea;

N-(2,4-dibromo-6-fluorophenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-

cyclohexyl)thiourea;

20 N-(2,4-dichloro-6-methylphenyl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-cyclohexyl)thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-ethoxyphenyl)-

thiourea;

N-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-N'-(2-isopropyl-6-

25 methylphenyl)thiourea;

N-(2,3-dihydro-1,4-benzodioxin-6-yl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-

yl]amino}cyclohexyl)thiourea;

N-1,3-benzodioxol-5-yl)-N'-(cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclohexyl)-

thiourea;

N-(3-chloro-2-methylphenyl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-cyclohexyl)thiourea;

N-[4-bromo-2-(trifluoromethoxy)phenyl]-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)thiourea;

N-(4-chloro-2,5-dimethoxyphenyl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-cyclohexyl)thiourea;

N-bicyclo[2.2.1]hept-2-yl-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-cyclohexyl)thiourea;

10 methyl 3-({[(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)amino]-carbonothioyl} amino)-4-methylthiophene-2-carboxylate;

methyl 3-({[(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)amino]-carbonothioyl} amino)thiophene-2-carboxylate;

N-(4-butyl-2-methylphenyl)-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-cyclohexyl)thiourea;

N-[4-(dimethylamino)-1-naphthyl]-N'-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-cyclohexyl)thiourea;

N-(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-N'-(5-methyl-3-phenylisoxazol-4-yl)thiourea;

20 N-(2,6-diethylphenyl)-N'-[(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)-methyl]thiourea;

N-(4-bromo-2,6-dimethylphenyl)-N'-[(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-cyclohexyl)methyl]thiourea;

N-[(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)methyl]-N'-(2,3,5,6-tetrachlorophenyl)thiourea; and

25 N-[(cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino} cyclohexyl)methyl]-N'-(2-isopropyl-6-methylphenyl)thiourea;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

16. The compound according to claim 3 wherein R_1 is selected from the group consisting of:

R_1 is selected from the group consisting of:

(i) C_{1-8} alkyl, and

C_{1-8} alkyl substituted by substituent(s) independently selected from the group consisting of:

•halogen,

• C_{1-5} alkoxy,

• C_{1-5} alkoxy substituted by carbocyclic aryl,

•carbocyclyl,

•carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

••halogen,

••nitro, and

•• C_{1-5} alkoxy,

(ii) C_{2-5} alkenyl,

(iii) carbocyclyl,

(iv) carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

•halogen,

• C_{1-5} alkyl,

• C_{1-5} alkyl substituted by halogen, and

• C_{1-5} alkoxy;

L is Formula (V); and

Y is $-C(O)O-$;

wherein carbocyclic aryl is phenyl or naphthyl;

335

carbocyclyl is 9*H*-fluorenyl or menthyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

5 17. The compound according to claim 16 wherein R_{4a} is hydrogen or methyl; R_{4b} is methyl; R₅ and R₆ are hydrogen; A is a single bond; and B is a single bond or -CH₂-; or a pharmaceutically acceptable salt, hydrate or solvate thereof.

18. The compound according to claim 1 selected from the group consisting of:

10 cis-[4-(4-dimethylamino-quinazolin-2-ylamino)-cyclohexyl]-carbamic acid

2-benzyloxy-ethyl ester;

cis-[4-(4-dimethylamino-quinazolin-2-ylamino)-cyclohexyl]-carbamic acid

4,5-dimethoxy-2-nitro-benzyl ester;

cis-[4-(4-dimethylamino-quinazolin-2-ylamino)-cyclohexyl]-carbamic acid 2-chloro-benzyl

15 ester;

cis-[4-(4-dimethylamino-quinazolin-2-ylamino)-cyclohexyl]-carbamic acid

4,5-dimethoxy-2-nitro-benzyl ester;

cis-[4-(4-dimethylamino-quinazolin-2-ylamino)-cyclohexyl]-carbamic acid 4-nitro-benzyl

ester;

20 cis-[4-(4-dimethylamino-quinazolin-2-ylamino)-cyclohexyl]-carbamic acid benzyl ester;

cis-[4-(4-dimethylamino-quinazolin-2-ylamino)-cyclohexylmethyl]-carbamic acid

2-chloro-benzyl ester;

cis-[4-(4-dimethylamino-quinazolin-2-ylamino)-cyclohexylmethyl]-carbamic acid

4-nitro-benzyl ester; and

25 cis-[4-(4-dimethylamino-quinazolin-2-ylamino)-cyclohexylmethyl]-carbamic acid benzyl

ester;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

19. The compound according to claim 3 wherein:

R_1 is C_{1-8} alkyl, and

C_{1-8} alkyl substituted by substituent(s) independently selected from the group consisting of:

5 •carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

••halogen,

•• C_{1-5} alkyl,

10 •• C_{1-5} alkyl substituted by halogen,

•• C_{1-5} alkoxy, and

•• C_{1-5} alkoxy substituted by halogen,

R_4 is $-N(R_{4a})(R_{4b})$ wherein R_{4a} and R_{4b} are independently C_{1-5} alkyl;

15 L is Formula (VIII) or (IX) wherein R_5 and R_6 are both hydrogen; A and B are each independently a single bond or $-CH_2-$; and

Y is a single bond;

wherein carbocyclic aryl is phenyl; and

halogen is fluoro or chloro;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

20

20. The compound according to claim 19 wherein:

R_1 is C_{1-8} alkyl, and

C_{1-8} alkyl substituted by substituent(s) independently selected from the group consisting of:

25 •carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

•• C_{1-5} alkoxy, and

337

••C₁₋₅ alkoxy substituted by halogen,

wherein carbocyclic aryl is phenyl; and

halogen is fluoro or chloro;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

5

21. The compound according to claim 20 wherein:

R₁ is -N(CH₃)₂; L is Formula (VIII) or (IX) wherein A is a single bond and B is -CH₂-,

or A is -CH₂- and B is a single bond; and Y is a single bond;

wherein carbocyclic aryl is phenyl; and

10

halogen is fluoro;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

22. The compound according to claim 1 is:

N²-[(1S,3R)-3-({[4-bromo-2-(trifluoromethoxy)benzyl]amino}-methyl)cyclopentyl]-N⁴,N⁴-

15 dimethylquinazoline-2,4-diamine;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

23. The compound according to claim 3 wherein:

R₁ is selected from the group consisting of:

20

(i) C₁₋₈ alkyl, and

C₁₋₈ alkyl substituted by substituent(s) independently selected from the group consisting of:

•carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from

25

the group consisting of:

•hydroxy,

•halogen,

•nitro,

338

- 5
- C₁₋₅ alkylcarbonylamino,
 - C₃₋₆ cycloalkylcarbonylamino,
 - C₁₋₅ alkyl,
 - C₁₋₅ alkyl substituted by halogen,
 - C₁₋₅ alkylsulfonyl,
 - C₁₋₅ alkoxy,
 - C₁₋₅ alkoxy substituted by halogen, and
 - carbocyclic aryl,
- 10
- heterocyclyl, and
 - heterocyclyl substituted by halogen,
- (ii) C₃₋₁₂ cycloalkyl, and
- C₃₋₁₂ cycloalkyl substituted by carbocyclic aryl,
- (iii) carbocyclyl, and
- carbocyclyl by substituent(s) independently selected from the group
- 15 consisting of:
- hydroxy, and
 - carbocyclic aryl,
- (iv) carbocyclic aryl, and
- carbocyclic aryl substituted by substituent(s) independently selected from the
- 20 group consisting of:
- halogen,
 - C₁₋₅ alkoxy, and
 - nitro,
- (v) heterocyclyl, and
- 25 heterocyclyl substituted by substituent(s) independently selected from the
- group consisting of:
- halogen, and
 - C₁₋₅ alkoxy,

339

R_4 is $-N(R_{4a})(R_{4b})$ wherein R_{4a} and R_{4b} are each independently C_{1-5} alkyl;

L is Formula (XIII); wherein R_5 and R_6 are both hydrogen; A is a single bond and B is a single bond or $-CH_2-$; and

Y is $-C(O)NR_7-$, wherein R_7 is hydrogen or C_{1-5} alkyl;

5 wherein carbocyclic aryl is phenyl or naphthyl;

carbocyclyl is indanyl, 9*H*-fluorenyl, 1,2,3,4-tetrahydro-naphthalen-1-yl, or 1*H*-indolyl;

heterocyclyl is benzo[1,3]dioxolyl, pyridyl, dibenzofuranyl, 1*H*-benzimidazolyl, or thiazolyl; and

10 halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

24. The compound according to claim 23 wherein:

R_1 is selected from the group consisting of:

15 (i) C_{1-3} alkyl, and

C_{1-3} alkyl substituted by substituent(s) independently selected from the group consisting of:

•carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

••hydroxy,

••halogen,

••nitro,

•• C_{1-5} alkylcarbonylamino,

25 •• C_{1-5} alkyl,

•• C_{1-5} alkyl substituted by halogen,

•• C_{1-5} alkylsulfonyl,

•• C_{1-5} alkoxy,

340

- C₁₋₅ alkoxy substituted by halogen, and

- carbocyclic aryl,

- heterocyclyl, and

- heterocyclyl substituted by halogen,

5 (ii) C₃₋₁₂ cycloalkyl, and

C₃₋₁₂ cycloalkyl substituted by carbocyclic aryl,

(iii) carbocyclyl,

(iv) carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

- halogen, and

- nitro,

(v) heterocyclyl, and

heterocyclyl substituted by substituent(s) independently selected from the group consisting of:

- halogen, and

- C₁₋₅ alkoxy,

wherein carbocyclic aryl is phenyl or naphthyl;

carbocyclyl is indanyl, 9H-fluorenyl, or 1,2,3,4-tetrahydro-naphthalen-1-yl;

heterocyclyl is benzo[1,3]dioxolyl, or pyridyl;

and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

25 25. The compound according to claim 24 wherein R₄ is -N(CH₃)₂; A and B are both a single bond; and Y is -C(O)NH-;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

26. The compound according to claim 1 selected from the group consisting of:
cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(2,3-dimethylbenzyl)-
cyclohexanecarboxamide;
cis-N-(2-bromobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
5 cyclohexanecarboxamide;
cis-N-(2-chlorobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
cyclohexanecarboxamide;
cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(4-methylbenzyl)-
cyclohexanecarboxamide;
10 cis-N-[3,5-bis(trifluoromethyl)benzyl]-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
cyclohexanecarboxamide;
cis-N-(2,4-dimethoxybenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
cyclohexanecarboxamide;
cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(1,2,3,4-
15 tetrahydronaphthalen-1-yl)cyclohexanecarboxamide;
cis-N-(2,3-dihydro-1H-inden-2-yl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
cyclohexanecarboxamide;
cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-[(1S)-1-(4-nitrophenyl)ethyl]-
cyclohexanecarboxamide;
20 cis-N-(3,5-dichlorobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
cyclohexanecarboxamide;
cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-[4-(trifluoromethoxy)benzyl]-
cyclohexanecarboxamide;
cis-N-(4-bromobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
25 cyclohexanecarboxamide;
cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(4-methoxybenzyl)-
cyclohexanecarboxamide;
cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(2-fluoro-4-nitrophenyl)-

cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(3-fluoro-4-methylbenzyl)-

cyclohexanecarboxamide;

cis-N-(5-chloro-2-methylbenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-

5 cyclohexanecarboxamide; and

cis-N-(2,4-dichloro-6-methylbenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-

cyclohexanecarboxamide;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

10 27. The compound according to claim 1 selected from the group consisting of:

cis-N-(2,3-dimethoxybenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-

cyclohexanecarboxamide;

cis-N-(2,4-difluorobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-

cyclohexanecarboxamide;

15 cis-N-(2,4-dichlorobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-

cyclohexanecarboxamide;

cis-N-(2,3-dichlorobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-

cyclohexanecarboxamide;

cis-N-(2,5-dichlorobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-

20 cyclohexanecarboxamide;

cis-N-(3-chlorobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-

cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(3-methoxybenzyl)-

cyclohexanecarboxamide;

25 cis-N-(3,4-dimethoxybenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-

cyclohexanecarboxamide;

cis-N-(3,5-dimethoxybenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-

cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(4-hydroxy-3-methoxybenzyl)-cyclohexanecarboxamide;

cis-N-(1,3-benzodioxol-5-ylmethyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-cyclohexanecarboxamide;

5 cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-[(1R)-1-(4-nitrophenyl)ethyl]-cyclohexanecarboxamide;

cis-4-(4-dimethylamino-quinazolin-2-ylamino)-cyclohexanecarboxylic acid (*trans*-2-phenylcyclopropyl)-amide;

10 cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-[(1S)-1-(4-methylphenyl)ethyl]-cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-[(1R)-1-(1-naphthyl)ethyl]-cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-[3-(trifluoromethyl)benzyl]-cyclohexanecarboxamide;

15 cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(3-methoxyphenyl)-cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(3-iodobenzyl)-cyclohexanecarboxamide;

20 cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(4-methoxybenzyl)-cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(3-iodophenyl)-cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-[3-(propionylamino)benzyl]-cyclohexanecarboxamide;

25 cis-N-benzyl-4-{{4-(dimethylamino)quinazolin-2-yl}amino}cyclohexanecarboxamide;

cis-N-[(6-chloropyridin-3-yl)methyl]-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-[(1R)-1-(3-methoxyphenyl)ethyl]-

cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-[1-(4-fluorophenyl)ethyl]-
cyclohexanecarboxamide;

cis-N-[(1R)-1-(4-chlorophenyl)ethyl]-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
5 cyclohexanecarboxamide;

cis-N-[1-(4-bromophenyl)ethyl]-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-[(1S)-1-(1-naphthyl)ethyl]-
cyclohexanecarboxamide;

10 cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(3,5-dimethylbenzyl)-
cyclohexanecarboxamide;

cis-N-(3-chloro-2-methylbenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(5-fluoro-2-methylbenzyl)-
15 cyclohexanecarboxamide;

cis-N-(3-chloro-2,6-difluorobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
cyclohexanecarboxamide;

cis-N-(biphenyl-3-ylmethyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
cyclohexanecarboxamide;

20 cis-N-(biphenyl-4-ylmethyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
cyclohexanecarboxamide;

cis-N-(6-chloro-2-fluoro-3-methylbenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(2-fluorobenzyl)-
25 cyclohexanecarboxamide;

cis-N-(2,6-difluorobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-[4-(trifluoromethyl)benzyl]-

cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(1-naphthylmethyl)-

cyclohexanecarboxamide;

cis-N-(4-chlorobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-

5 cyclohexanecarboxamide;

cis-N-(3,4-dichlorobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-

cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(3-fluorobenzyl)-

cyclohexanecarboxamide;

10 cis-N-(2,5-difluorobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-

cyclohexanecarboxamide;

cis-N-(2,3-difluorobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-

cyclohexanecarboxamide;

cis-N-(3-bromobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-

15 cyclohexanecarboxamide;

cis-N-(3-bromo-4-fluorobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-

cyclohexanecarboxamide;

cis-N-(4-bromo-2-fluorobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-

cyclohexanecarboxamide;

20 cis-N-(5-bromo-2-fluorobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-

cyclohexanecarboxamide;

cis-N-(4-chloro-2-fluorobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-

cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(3-methylbenzyl)-

25 cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(2-methylbenzyl)-

cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-[2-(trifluoromethoxy)benzyl]-

- cyclohexanecarboxamide;
cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(2,3,4-trifluorobenzyl)-
cyclohexanecarboxamide;
cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(2,4,5-trifluorobenzyl)-
5 cyclohexanecarboxamide;
cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(3,4,5-trifluorobenzyl)-
cyclohexanecarboxamide;
cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-(2,3,6-trifluorobenzyl)-
cyclohexanecarboxamide;
10 cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-[3-fluoro-5-(trifluoromethyl)benzyl]-
cyclohexanecarboxamide;
cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-[4-fluoro-2-(trifluoromethyl)benzyl]-
cyclohexanecarboxamide;
cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-[2-fluoro-4-(trifluoromethyl)benzyl]-
15 cyclohexanecarboxamide;
cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-[4-fluoro-3-(trifluoromethyl)benzyl]-
cyclohexanecarboxamide;
cis-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-N-[2-fluoro-3-(trifluoromethyl)benzyl]-
cyclohexanecarboxamide;
20 cis-N-[4-chloro-3-(trifluoromethyl)benzyl]-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
cyclohexanecarboxamide;
cis-N-(2-chloro-6-fluorobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
cyclohexanecarboxamide;
cis-N-(3-chloro-4-fluorobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
25 cyclohexanecarboxamide;
cis-N-(2-chloro-4-fluorobenzyl)-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-
cyclohexanecarboxamide;
cis-N-[2-chloro-5-(trifluoromethyl)benzyl]-4-{{4-(dimethylamino)quinazolin-2-yl}amino}-

cyclohexanecarboxamide;

cis-N-{2-(difluoromethoxy)benzyl}-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-
cyclohexanecarboxamide;

cis-N-[3-(difluoromethoxy)benzyl]-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-
5 cyclohexanecarboxamide;

cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-N-[3-(trifluoromethoxy)benzyl]-
cyclohexanecarboxamide;

cis-N-(2,6-dimethoxybenzyl)-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-
cyclohexanecarboxamide;

10 cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-N-[(1R)-1-phenylethyl]-
cyclohexanecarboxamide;

cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-N-[(1S)-1-(4-methoxyphenyl)ethyl]-
cyclohexanecarboxamide;

cis-N-[bis(4-methoxyphenyl)methyl]-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-
15 cyclohexanecarboxamide;

cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-N-[2-(trifluoromethyl)benzyl]-
cyclohexanecarboxamide;

cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-N-9H-fluoren-9-
ylcyclohexanecarboxamide;

20 cis-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-N-[4-(methylsulfonyl)benzyl]-
cyclohexanecarboxamide; and

cis-N-(6-chloropyridin-3-yl)-4-{[4-(dimethylamino)quinazolin-2-yl]amino}-
cyclohexanecarboxamide;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

25

28. The compound according to claim 3 wherein:

R₁ is selected from the group consisting of:

(i) C₁₋₈ alkyl, and

348

C₁₋₈ alkyl substituted by substituent(s) independently selected from the group consisting of:

•carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

•C₁₋₅ alkoxy, and

•C₁₋₅ alkoxy substituted by halogen,

(ii) carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

•halogen, and

•C₁₋₇ alkoxy,

R₄ is -N(R_{4a})(R_{4b}) wherein R_{4a} and R_{4b} are each independently C₁₋₅ alkyl;

L is Formula (XIII) wherein R₅ is hydrogen; A is a single bond and B is a single bond or -CH₂-; and

Y is -C(O)O- or -OC(O)-;

wherein carbocyclic aryl is phenyl or naphthyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

29. The compound according to claim 28 wherein R₄ is -N(CH₃)₂;
or a pharmaceutically acceptable salt, hydrate or solvate thereof.

30. The compound according to claim 3 wherein:

R₁ is selected from the group consisting of:

carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

349

•halogen,

•C₁₋₁₀ alkyl,•C₁₋₁₀ alkyl substituted by halogen,•C₁₋₇ alkoxy, and5 •C₁₋₇ alkoxy substituted by halogen,R₄ is -N(R_{4a})(R_{4b}) wherein R_{4a} and R_{4b} are each independently C₁₋₅ alkyl;L is Formula (VIII) or (IX) wherein A and B are each independently a single bond or
-CH₂-; and

Y is -C(O)-,

10 wherein carbocyclic aryl is phenyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

31. The compound according to claim 30 wherein R₄ is -N(CH₃)₂; R₅ and R₆ are both hydrogen;
15 and A is a single bond, and B is -CH₂-; or A is a -CH₂-, and B is a single bond,
or a pharmaceutically acceptable salt, hydrate or solvate thereof.

32. The compound according to claim 1 selected from the group consisting of:
3,4-dichloro-N-(((1R,3S)-3-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclopentyl)-
20 methyl]benzamide;
N-[(1S,3R)-3-({[4-(dimethylamino)quinazolin-2-yl]amino} methyl)cyclopentyl]-4-
fluorobenzamide;
4-chloro-N-(((1R,3S)-3-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclopentyl)methyl]-
benzamide; and
25 N-(((1R,3S)-3-{[4-(dimethylamino)quinazolin-2-yl]amino} cyclopentyl)methyl)-3,5-
difluorobenzamide;
or a pharmaceutically acceptable salt, hydrate or solvate thereof.

350

33. The compound according to claim 1 selected from the group consisting of:

N-(((1R,3S)-3-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclopentyl)methyl)-3,5-dimethoxybenzamide;

2,4,6-trichloro-N-(((1R,3S)-3-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclopentyl)-
5 methyl)benzamide;

N-(((1R,3S)-3-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclopentyl)methyl)-3-fluoro-4-(trifluoromethyl)benzamide;

N-(((1R,3S)-3-{[4-(dimethylamino)quinazolin-2-yl]amino}cyclopentyl)methyl)-4-(trifluoromethoxy)benzamide; and

10 N-[(1S,3R)-3-({[4-(dimethylamino)quinazolin-2-yl]amino}methyl)cyclopentyl]-2,4-difluorobenzamide;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

34. The compound according to claim 2 wherein Q is Formula (IIa).

15

35. The compound according to claim 34 wherein:

R₁ is selected from the group consisting of:

(i) C₁₋₈ alkyl, and

C₁₋₈ alkyl substituted by carbocyclic aryl,

20

(ii) carbocyclic aryl, and

carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

•halogen,

•C₁₋₁₀ alkyl,

25

•C₁₋₁₀ alkyl substituted by halogen,

•C₁₋₇ alkoxy, and

•C₁₋₇ alkoxy substituted by halogen,

R₂ is -N(R_{2a})(R_{2b}), wherein R_{2a} and R_{2b} are each independently C₁₋₅ alkyl;

351

L is Formula (V) wherein R_5 and R_6 are both hydrogen; A and B are both a single bond;

X_1 , X_2 , X_3 and X_4 are independently selected from the group consisting of hydrogen, halogen, and C_{1-4} alkyl; provided that at least one substituent selected from the group consisting of X_1 , X_2 , X_3 and X_4 is not hydrogen; and

Y is $-C(O)-$;

wherein carbocyclic aryl is phenyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

10

36. The compound according to claim 35 wherein R_2 is $-N(CH_3)_2$; and X_1 , X_2 , X_3 and X_4 are independently selected from the group consisting of hydrogen, fluoro, and methyl; provided that at least one substituent selected from the group consisting of X_1 , X_2 , X_3 and X_4 is not hydrogen;

15

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

37. The compound according to claim 1 selected from the group consisting of:

N-(cis-4-{[4-(dimethylamino)-6-methylquinazolin-2-yl]amino}cyclohexyl)-2,2-diphenylacetamide;

20

N-(cis-4-{[4-(dimethylamino)-6-methylquinazolin-2-yl]amino}cyclohexyl)-4-fluoro-3-(trifluoromethyl)benzamide;

N-(cis-4-{[4-(dimethylamino)-6-methylquinazolin-2-yl]amino}cyclohexyl)-3,5-bis(trifluoromethyl)benzamide; and

N-(cis-4-{[4-(dimethylamino)-6-methylquinazolin-2-yl]amino}cyclohexyl)-3,4,5-trimethoxybenzamide;

25

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

38. The compound according to claim 1 selected from the group consisting of:

3-chloro-N-(cis-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}cyclohexyl)-benzamide;

3,4-dichloro-N-(cis-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}cyclohexyl)-benzamide;

5 N-(cis-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}cyclohexyl)-3,5-dimethoxybenzamide;

N-(cis-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}cyclohexyl)benzamide;

N-(cis-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}cyclohexyl)-4-methylbenzamide;

10 N-(cis-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}cyclohexyl)-4-fluorobenzamide;

N-(cis-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}cyclohexyl)-3-methoxybenzamide;

N-(cis-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}cyclohexyl)-3,4-15 difluorobenzamide; and

N-(cis-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}cyclohexyl)-3-(trifluoromethyl)benzamide;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

20 39. The compound according to claim 34 wherein:

R₁ is selected from the group consisting of:

(i) C₁₋₈ alkyl, and

C₁₋₈ alkyl substituted by substituent(s) independently selected from the group consisting of:

25 •carbocyclic aryl,

•carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

••halogen,

353

••C₁₋₅ alkyl,••C₁₋₅ alkyl substituted by halogen,••C₁₋₅ alkoxy, and••C₁₋₅ alkoxy substituted by halogen,

5 (ii) heterocyclyl, and

heterocyclyl substituted by halogen,

R₂ is -N(R_{2a})(R_{2b}), wherein R_{2a} and R_{2b} are each independently C₁₋₅ alkyl;

L is Formula (XIII);

10 X₁, X₂, X₃ and X₄ are independently hydrogen or halogen; provided that at least one
substituent selected from the group consisting of X₁, X₂, X₃ and X₄ is not hydrogen;
and

Y is -C(O)NR₇- wherein R₇ is hydrogen or C₁₋₅ alkyl;

wherein carbocyclic aryl is phenyl;

heterocyclyl is pyridyl; and

15 halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

40. The compound according to claim 39 wherein R₂ is -N(CH₃)₂; L is Formula (XIII) whereinA and B are both a single bond; X₁, X₂, X₃ and X₄ are independently hydrogen or fluoro;

20 provided that at least one substituent selected from the group consisting of X₁, X₂, X₃ and X₄
is not hydrogen; and Y is -C(O)NH-;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

41. The compound according to claim 1 selected from the group consisting of:

25 cis-N-benzyl-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}-
cyclohexanecarboxamide;

cis-N-(3,5-dimethoxybenzyl)-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}-
cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}-N-(3-methoxybenzyl)-cyclohexanecarboxamide;

cis-N-[(6-chloropyridin-3-yl)methyl]-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}-cyclohexanecarboxamide;

5 cis-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}-N-[3-(trifluoromethyl)-benzyl]cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}-N-[4-(trifluoromethyl)-benzyl]cyclohexanecarboxamide;

10 cis-N-[3,5-bis(trifluoromethyl)benzyl]-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}-cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}-N-(3-iodobenzyl)-cyclohexanecarboxamide; and

cis-N-[1-(4-bromophenyl)ethyl]-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}-cyclohexanecarboxamide;

15 or a pharmaceutically acceptable salt, hydrate or solvate thereof.

42. The compound according to claim 1 selected from the group consisting of:

cis-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}-N-(4-methylbenzyl)-cyclohexanecarboxamide;

20 cis-N-(3-chlorobenzyl)-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}-cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}-N-[(1R)-1-(3-methoxyphenyl)ethyl]cyclohexanecarboxamide;

25 cis-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}-N-(4-methoxybenzyl)-cyclohexanecarboxamide;

cis-N-(2,4-dichlorobenzyl)-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}-cyclohexanecarboxamide;

cis-N-(3,5-dichlorobenzyl)-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}-

355

cyclohexanecarboxamide;

cis-N-(4-bromobenzyl)-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}-

cyclohexanecarboxamide;

cis-N-(2-bromobenzyl)-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}-

5 cyclohexanecarboxamide;

cis-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}-N-[4-(trifluoromethoxy)-

benzyl]cyclohexanecarboxamide; and

cis-4-{{4-(dimethylamino)-6,7-difluoroquinazolin-2-yl}amino}-N-[(1S)-1-(4-

methylphenyl)ethyl]cyclohexanecarboxamide;

10 or a pharmaceutically acceptable salt, hydrate or solvate thereof.

43. The compound according to claim 2 wherein Q is Formula (IIb).

44. The compound according to claim 43 wherein:

15 R₁ is selected from the group consisting of:

C₁₋₈ alkyl, and

C₁₋₈ alkyl substituted by substituent(s) independently selected from the group consisting of:

•carbocyclic aryl,

20 •carbocyclic aryl substituted by substituent(s) independently selected from the group consisting of:

••halogen,

••C₁₋₅ alkyl, and

••C₁₋₅ alkoxy,

25 R₃ is C₁₋₅ alkyl;

L is Formula (XIII); wherein R₅ and R₆ are both hydrogen; A and B are both a single bond;

Y is -C(O)NR₇;

356

wherein carbocyclic aryl is phenyl; and

halogen is fluoro, chloro, bromo, or iodo;

or a pharmaceutically acceptable salt, hydrate or solvate thereof.

5 45. The compound according to claim 44 wherein R₃ is isopropyl; and Y is -C(O)NH-;
or a pharmaceutically acceptable salt, hydrate or solvate thereof.

46. The compound according to claim 1 is:
cis-N-(3-chlorobenzyl)-4-[(4-isopropylquinazolin-2-yl)amino]cyclohexanecarboxamide;
10 or a pharmaceutically acceptable salt, hydrate or solvate thereof.

47. The compound according to claim 1 wherein R₁ is selected from hydrogen, -CO₂^tBu, or
-CO₂Bn (Bn is a benzyl group);

15 R₂ is -N(R_{2a})(R_{2b}), wherein R_{2a} is hydrogen or C₁₋₅ alkyl; R_{2b} is C₁₋₅ alkyl;
R₃ is C₁₋₅ alkyl;
R₄ is -N(R_{4a})(R_{4b}) wherein R_{4a} is hydrogen or C₁₋₅ alkyl; R_{4b} is C₁₋₅ alkyl;
L is selected from Formula (V), (VIII), (IX), (XIII), (XVI), or (XVII);
X₁, X₂, X₃ and X₄ are independently selected from the group consisting of hydrogen,
halogen, and C₁₋₄ alkyl; provided that at least one substituent selected from the group
20 consisting of X₁, X₂, X₃ and X₄ is not hydrogen; and
Y is a single bond;
or a pharmaceutically acceptable salt, hydrate, or solvate thereof.

48. A pharmaceutical composition comprising a therapeutically effective amount of a compound
25 according to any one of claims 1 to 47 in combination with a pharmaceutically acceptable
carrier.

49. A method for the prophylaxis or treatment of improving memory function, sleeping and

arousal, anxiety, depression, mood disorders, seizure, obesity, diabetes, appetite and eating disorders, cardiovascular disease, hypertension, dyslipidemia, myocardial infarction, binge eating disorders including bulimia, anorexia, mental disorders including manic depression, schizophrenia, delirium, dementia, stress, cognitive disorders, attention deficit disorder, substance abuse disorders and dyskinesias including Parkinson's disease, epilepsy, and addiction comprising administering to an individual suffering from said condition a therapeutically effective amount of a compound according to any one of claims 1 to 47 or a pharmaceutical composition according to claim 48.

50. A method for the prophylaxis or treatment of an eating disorder, obesity or an obesity related disorder comprising administering to an individual suffering from said condition a therapeutically effective amount of a compound according to any one of claims 1 to 47 or a pharmaceutical composition according to claim 48.

51. A method for the prophylaxis or treatment of anxiety, depression, schizophrenia, addiction, or epilepsy comprising administering to an individual suffering from said condition a therapeutically effective amount of a compound according to any one of claims 1 to 47 or a pharmaceutical composition according to claim 48.

52. A compound according to any one of claims 1 to 47 or a pharmaceutical composition according to claim 48 for use in a method of treatment of the human or animal body by therapy.

53. A compound according to any one of claims 1 to 47 or a pharmaceutical composition according to claim 48 for use in a method of prophylaxis or treatment of an eating disorder, obesity or an obesity related disorder of the human or animal body by therapy.

54. A compound according to any one of claims 1 to 47 or a pharmaceutical composition

358

according to claim 48 for use in a method of prophylaxis or treatment of anxiety, depression, schizophrenia, addiction, or epilepsy of the human or animal body by therapy.

55. A compound according to any one of claims 1 to 47 for the manufacture of a medicament for
5 use in the prophylaxis or treatment of an eating disorder, obesity or obesity related disorders.

56. A compound according to any one of claims 1 to 47 for the manufacture of a medicament for
use in the prophylaxis or treatment of anxiety, depression, schizophrenia, addiction, or
epilepsy.

10

57. A method of producing a pharmaceutical composition comprising admixing a compound
according to any one of claims 1 to 47 and a pharmaceutically acceptable carrier.